



GRABO



PLANKIT

LUXURY
VINYL TILE FLOORING

GRABO
PLANKIT



GRABO PLANK/IT

LUXURY
VINYL TILE FLOORING

GRABO PLANK/IT IS THE NEW LUXURY VINYL TILE FROM GRABOPLAST WHICH ENSURES A NATURAL FEELING FOR YOUR FLOOR IN BOTH COMMERCIAL AND DOMESTIC APPLICATIONS.



Grabo Plank/it is a long lasting flooring solution due to its durability against impacts, stains and scratches thus it is a perfect choice for shops, offices, hotels, restaurants or any other hospitality areas.



Our product has a PUR surface coating with low maintenance requirement.



Grabo Plank/it is water resistant, dimensionally stable and has sound insulating properties with a warm underfoot feeling.



Its flexibility provides economic, easy and quick installation.



ECOLOGICAL FORMULA

THE NEW GRABO LVT IS INSPIRED BY NATURE, MANUFACTURED WITH **PHTHALATE FREE** TECHNOLOGY AND PROVIDES AN ENVIRONMENTALLY FRIENDLY FLOORING SOLUTION FOR THE USERS.



GRABO
PLANK/IT

SPECIFICATION



PLANK SIZE		7x48 inch 177,8x1219.2 mm
THICKNESS	EN ISO 24346	2.5 mm
WEAR LAYER	EN ISO 24340	0.55 mm
TOTAL WEIGHT	EN ISO 23997	4.4 kg/m ²
CLASSIFICATION		
EUROPEAN CLASSIFICATION	EN ISO 10582	class: 33/42
RESIDUAL INDENTATION	EN ISO 24343	max. 0.1 mm
DIMENSIONAL STABILITY	EN ISO 23999	max. 0.1 %
CURLING	EN ISO 23999	max. 2 mm
PERFORMANCE		
ABRASION GROUP	MSZ EN 660-1	class: T
FIRE RESISTANCE	EN 13501-1	class: Bfl-s1
SLIP RESISTANCE	EN 13893	DS
ELECTRICAL PROPERTIES	EN 1815	max. 2 kV
THERMAL RESISTANCE	ISO 8302	0.014 m ² K/W
LIGHT FASTNESS	EN ISO 105-B0	grade 6
CHEMICAL RESISTANCE	EN ISO 26987	✓
HYGENIE		bacterial resistant
CASTOR CHAIR RESISTANCE	EN 425	✓
ENVIRONMENTAL ATTRIBUTES		solvent and phtalathe free
CONTENT OF PCP	EN 12673	does not contain
FORMALDEHIDE EMISSION	ENV 717-1	E1 (no emission)
VOC		pass
CE MARKING	EN 14041	✓